Table of Contents

Acronyms and Abbreviations	ix
Production Credits and Acknowledgements	xiii
Executive Summary T. Stebbins, A. Latker	1
Chapter 1. General Introduction	7
Introduction	
Regular Fixed-Grid Monitoring Random Sample Regional Surveys Literature Cited	9
Chapter 2. Oceanographic Conditions	13
Introduction	
Chapter 3. Water Quality	29
Introduction Materials and Methods Results Discussion Literature Cited	
Chapter 4. Sediment Conditions	43
Introduction Materials and Methods Results Discussion Literature Cited	44 45 50
Chapter 5. Macrobenthic Communities	55
Introduction	55 56
Discussion Literature Cited	64

Chapter 6. Demersal Fishes and Megabenthic Invertebrates	69
Introduction	69
Materials and Methods	
Results	
Discussion	78
Literature Cited	80
Chapter 7. Bioaccumulation of Contaminants in Fish Tissues	83
Introduction	83
Materials and Methods	83
Results	86
Discussion	90
Literature Cited	94
Chapter 8. San Diego Regional Survey — Sediment Conditions	97
Introduction	97
Materials and Methods	
Results	
Discussion	
Literature Cited	
Chapter 9. San Diego Regional Survey — Macrobenthic Communities	111
Introduction	111
Materials and Methods	
Results	
Discussion	
Literature Cited	
Glossary	127
APPENDICES	
Appendix A: Supporting Data — Oceanographic Conditions	
Appendix B: Supporting Data — Water Quality	
Appendix C: Supporting Data — Sediment Conditions	
Appendix D: Supporting Data — Macrobenthic Communities	
Appendix E: Supporting Data — Demersal Fishes and Megabenthic Invertebrate	S
Appendix F: Supporting Data — Bioaccumulation of Contaminants in Fish Tissu	
Appendix G: Supporting Data — San Diego Regional Survey — Sediment Cond	
Appendix H: Supporting Data — San Diego Regional Survey — Macrobenthic C	

LIST OF TABLES

Chapter 1:	General Introduction

TA T	٦.	1 1	1
No	 0	h	AC
110	 а		100.

Chapte	er 2: Oceanographic Conditions	
2.1	Temperature, salinity, dissolved oxygen, pH, transmissivity, and chlorophyll a for	ſ
	surface and bottom waters during 2010	17
Chapte	er 3: Water Quality	
3.1	Rainfall and bacteria levels at shore stations during 2010	33
3.2	Elevated bacteria at shore stations during 2010	
3.3	Fecal indicator bacteria densities at kelp bed and other offshore stations	
3.3	in 2010	37
3.4	Elevated bacteria densities at kelp bed and other offshore stations during 2010	
3.5	Total suspended solid concentrations from the kelp bed and other offshore	50
3.3	stations in 2010	40
Chapt	er 4: Sediment Conditions	
4.1	Particle size and sediment chemistry parameters at benthic stations during 2010	46
4.2	Spearman rank correlation analyses of percent fines and sediment chemistry	
1.2	parameters from benthic samples in 2010	49
	parameters from containe samples in 2010	
Chapte	er 5: Macrobenthic Communities	
5.1	Macrofaunal community parameters for 2010	57
5.2	Percent composition of species and abundance by major taxonomic group	
	for 2010	60
5.3	Ten most abundant macroinvertebrates collected at benthic stations	
	during 2010	61
5.4	Description of cluster groups A–F defined in Figure 5.4	64
Chapte	er 6: Demersal Fishes and Megabenthic Invertebrates	
6.1	Demersal fish species collected in 28 trawls during 2010	71
6.2	Demersal fish community parameters for 2010	
6.3	Description of cluster groups A–E defined in Figure 6.4	76
6.4	Species of megabenthic invertebrates collected in 28 trawls during 2010	77
6.5	Megabenthic invertebrate community parameters for 2010	
Chapte	er 7: Bioaccumulation of Contaminants in Fish Tissues	
7.1	Species of fish collected for tissue analysis at each trawl and rig fishing station	
	during 2010	
7.2	Metals in liver tissues of fishes collected at trawl stations during 2010	87
7.3	1 ' ' ' 1	
	collected at trawl stations during 2010	
7.4	Metals in muscle tissues of fishes at rig fishing stations during 2010	92

LIST OF TABLES (continued	LIST	OF '	TARLES	(continue	1)
---------------------------	------	------	--------	-----------	----

7.5	Chlorinated pesticides, PCBs, and lipids in muscle tissues of fishes collected at rig fishing stations during 2010	94
Chapte	er 8: San Diego Regional Survey – Sediment Conditions	
8.1	Particle size and sediment chemistry parameters at regional benthic stations during 2010	.100
8.2	Spearman rank correlation analyses of percent fines and sediment chemistry parameters from regional benthic samples in 2010	
8.3	Description of cluster groups A–E defined in Figure 8.5	
_	er 9: San Diego Regional Survey – Macrobenthic Communities	
9.1 9.2	Macrofaunal community parameters for regional stations during 2010	
9.3	Ten most abundant macroinvertebrate taxa at regional benthic stations during 2010	
9.4	Description of cluster groups A–F defined in Figure 9.4	
List (OF FIGURES	
Chapte	er 1: General Introduction	
1.1	Receiving waters monitoring stations for the South Bay Ocean Outfall Monitoring Program	8
1.2	Regional benthic survey stations for the South Bay Ocean Outfall Monitoring Program during 2010	
Chapte	er 2: Oceanographic Conditions	
2.1	Water quality monitoring stations where CTD casts are taken, South Bay Ocean Outfall Monitoring Program	14
2.2	Scatterplot of temperature and density in 2010	
2.3 2.4	Ocean temperatures during February, May, August, and November 2010	
2.4	November 2010	
2.5	DMSC images of the SBOO and coastal region	
2.6	Levels of salinity during February, May, August, and November 2010	
2.7	Vertical profiles of salinity during February, May, August, and November 2010	
2.8 2.9	Landsat TM5 image of the SBOO and coastal region on May 30, 2010 Time series of temperature, salinity, transmissivity, pH, dissolved oxygen, and	
	chlorophyll a anomalies between 1995 and 2010	25
Chapte	er 3: Water Quality	
3.1	Water quality monitoring stations for the South Bay Ocean Outfall Monitoring	
	Program	30

LIST OF FIGURES (continued)

3.2	Comparison of bacteriological data from shore stations to rainfall between	
	January 1, 2007 and December 31, 2010	35
3.3	MODIS satellite image taken on February 10, 2010 combined with total coliform	2.5
2.4	concentrations at shore stations on February 9, 2010	36
3.4	Comparison of bacteriological data from kelp stations to rainfall between	20
2.5	January 1, 2007 and December 31, 2010	39
3.5	MODIS satellite image taken on January 24, 2010 combined with total coliform concentrations at kelp stations on January 25, 2010	40
3.6	MODIS satellite image taken on February 24, 2010 combined with total coliform	40
3.0	concentrations at offshore stations on February 23, 2010	40
	concentrations at offshore stations of February 23, 2010	0
Chapte	er 4: Sediment Conditions	
4.1	Benthic station locations for the South Bay Ocean Outfall Monitoring Program	44
4.2	Distribution of fine sediments at benthic stations during 2010	47
4.3	Particle size and organic indicator data from 1995 to 2010	48
4.4	Scatterplot of percent fines and concentration of total nitrogen and nickel within	
	sediments in 2010	49
_	er 5: Macrobenthic Communities	
5.1	Benthic station locations sampled for the South Bay Ocean Outfall Monitoring	
7 0	Program	
5.2	Macrofaunal community parameters 1995–2010	
5.3	Abundance per survey for <i>Spiophanes norrisi</i> from 1995–2010	
5.4	Multivariate analyses of macrofaunal abundance data sampled during 2010	
5.5	Ordination of benthic stations sampled during winter and summer 2010	63
Chante	er 6: Demersal Fishes and Megabenthic Invertebrates	
6.1	Otter trawl station locations, South Bay Ocean Outfall Monitoring Program	70
6.2	Species richness and abundance of demersal fish at each trawl station between	, 0
	1995 and 2010	73
6.3	Abundance of the eight most abundant fish species between 1995 and 2010	
6.4	Multivariate analyses of demersal fish assemblages at stations SD15–SD21	
	between 1995 and 2010	75
6.5	Species richness and abundance of megabenthic invertebrates from 1995	
	through 2010	79
6.6	Abundance of the four most abundant megabenthic species from 1995	
	through 2010	80
Chart	a. T. Discommulation of Contominants in Eight Times	
_	er 7: Bioaccumulation of Contaminants in Fish Tissues	
7.1	Otter trawl and rig fishing stations for the South Bay Ocean Outfall Monitoring	QΛ
7.2	Program Concentrations of metals detected frequently in the liver tissues of fishes from	ŏ4
1.2	each trawl station during 2010	QQ
	00011 010 011 011 011 011 011 011 011 0	00

LIST OF FIGURES (continued	Lis	T O	e Fia	GURES	(continue	1
----------------------------	-----	-----	-------	-------	-----------	---

7.3	Concentrations of pesticides and PCBs in liver tissues of fishes from trawl stations during 2010
7.4	Concentrations of frequently detected metals, chlorinated pesticides, and PCB's
7.4	in muscle tissues of fishes from rig fishing stations during 2010
	in muscle disdes of fishes from fig fishing stations during 2010
Chapte	r 8: San Diego Regional Survey – Sediment Conditions
8.1	Regional benthic survey stations sampled during July 2010 as part of the South
	Bay Ocean Outfall Monitoring Program
8.2	Distribution of fine sediments at regional benthic stations during July 2010101
8.3	Scatterplot of percent fines and depth for regional benthic stations in 2010
8.4	Scatterplot of percent fines and concentration of total nitrogen and nickel in
	regional sediments in 2010
8.5	Multivariate analyses of particle size and chemistry data sampled at regional benthic
	stations during 2010
Chapte	r 9: San Diego Regional Survey – Macrobenthic Communities
9.1	Regional benthic survey stations sampled during July 2010 as part of the South
	Bay Ocean Outfall Monitoring Program
9.2	Macrofaunal community structure metrics for the four major depth strata at the
	regional stations during 2010
9.3	Percent composition of species and abundance by major phyla for each depth
0.4	stratum at the regional stations during 2010
9.4	Multivariate analyses of macrofaunal abundance data sampled at regional benthic
0.5	stations during 2010
9.5	Ordination of macrofaunal abundance data for 2010 regional stations
List (OF BOXES
OI 4	
-	r 3: Water Quality
3.1	Bacteriological compliance standards for water contact areas
T ist (OF APPENDICES
LISI (OF APPENDICES
Annend	lix A: Oceanographic Conditions
	Survey dates for CTD casts during 2010
	Levels of salinity during July 2010
	Concentrations of dissolved oxygen during February, May, August, and
11.0	November 2010
A.4	Vertical profiles of density and dissolved oxygen during February, May, August,
	and November 2010
A.5	Transmissivity during February, May, August, and November 2010
	Vertical profiles of transmissivity and chlorophyll a during February, May,
	August, and November 2010
A.7	Concentrations of chlorophyll a during February, May, August, and
	November 2010

LIST OF APPENDICES (continued)

Appendix B: Water Quality

- B.1 Elevated total coliform, fecal coliform, and/or enterococcus densities at shore stations during 2010
- B.2 Elevated total coliform, fecal coliform, and/or enterococcus densities at kelp bed stations during 2010
- B.3 Elevated total coliform, fecal coliform, and/or enterococcus densities at offshore stations during 2010
- B.4 Compliance with the 2001 California Ocean Plan water contact standards for shore and kelp bed stations from January 1 to July 31, 2010
- B.5 Compliance with the 2005 California Ocean Plan water contact standards for shore and kelp bed stations from August 1 to December 31, 2010

Appendix C: Sediment Conditions

- C.1 Subset of the Wentworth scale and modifications used in the analysis of sediments in 2010
- C.2 Constituents and method detection limits for sediment samples during 2010
- C.3 Constituents that make up total DDT and total PCB in each sediment sample during 2010
- C.4 Sediment statistics for the January 2010 survey
- C.5 Selected histograms illustrating particle size distributions of sediments in 2010
- C.6 Organic loading indicators at benthic stations for the January and July 2010 surveys
- C.7 Concentrations of trace metals for the January and July 2010 surveys
- C.8 Concentrations of DDT, HCB, and PCB detected at benthic stations during the January and July 2010 surveys

Appendix D: Macrobenthic Communities

- D.1 Abundance per survey for each of the 10 most abundant species from 1995–2010
- D.2 Taxa that distinguish between cluster groups according to SIMPER analysis

Appendix E: Demersal Fishes and Megabenthic Invertebrates

- E.1 Demersal fish species captured during 2010
- E.2 Total abundance by species and station for demersal fishes during 2010
- E.3 Biomass by species and station for demersal fishes during 2010
- E.4 Demersal fish species that distinguish between cluster groups according to SIMPER analysis
- E.5 Megabenthic invertebrate taxa captured during 2010
- E.6 Total abundance by species and station for megabenthic invertebrates during 2010

Appendix F: Bioaccumulation of Contaminants in Fish Tissues

- F.1 Lengths and weights of fishes used for each composite sample during 2010
- F.2 Constituents and method detection limits for fish tissue samples analyzed during 2010

LIST OF APPENDICES (continued)

F.3 Constituents that make up total DDT and total PCB in each composite sample during April and October 2010

Appendix G: San Diego Regional Survey – Sediment Conditions

- G.1 Constituents that make up total DDT, total HCH, total PAH, and total PCB in each sediment sample during the 2010 regional survey
- G.2 Particle size parameters for the 2010 regional stations
- G.3 Selected histograms illustrating particle size distributions of regional sediments in 2010
- G.4 Concentrations of chemical analytes in sediments from the 2010 regional stations
- G.5 Parameters that distinguish between each cluster group according to SIMPER analysis

Appendix H: San Diego Regional Survey – Macrobenthic Communities

H.1 Taxa that distinguish between cluster groups according to SIMPER analysis

Acronyms and Abbreviations

ADCP Acoustic Doppler Current Profiler

Analysis of Similarity ANOSIM

American Public Health Association **APHA**

APT **Advanced Primary Treatment** Automated Underwater Vehicle AUV **BACIP** Before-After-Control-Impact-Paired BOD

Biochemical Oxygen Demand

BRI Benthic Response Index

 χ^2 Pearson's Chi-square Analyses test statistic

CCS California Current System

California State Department of Health Services **CDHS**

Colony Forming Units CFU

centimeter cm

CSDMML City of San Diego Marine Microbiology Laboratory Conductivity, Temperature, Depth instrument CTD

Dichlorodiphenyltrichloroethane DDT

degrees of freedom df Dissolved Oxygen DO

ELAP Environmental Laboratory Accreditation Program **EMAP Environmental Monitoring and Assessment Program Environmental Monitoring and Technical Services EMTS**

Effects Range Low **ERL** Effects Range Mediam **ERM** F:T Fecal to Total coliform ratio Fecal Indicator Bacteria FIB

ft feet

FTR Fecal to Total coliform Ratio criterion

gram g

H' Shannon diversity index **HCB** Hexachlorobenzene Hexachlorocylclohexane **HCH**

IGODS Interactive Geographical Ocean Data System

inches in IR Infrared

IWTP International Wastewater Treament Plant

J' Pielou's evenness index

kilogram kg kilometer km

 km^2 square kilometer

Liter L m meter

 m^2 square meter

MDL Method Detection Limit

nMDS Non-metric Multidimensional Scaling

milligram mg

Acronyms and Abbreviations (continued)

mgd millions of gallons per day

ml maximum length

mL milliliter mm millimeter

MODIS Moderate Resolution Imaging Spectroradiometer

MRP Monitoring and Reporting Program

mt metric ton n sample size

N number of observations used in a Chi-square analysis

ng nanograms no. number

NOAA National Oceanographic and Atmospheric Association NPDES National Pollution Discharge Elimination System

NWS National Weather Service

O&G Oil and Grease

OEHHA California Office of Environmental Health Hazard Assessment

OI Ocean Imaging probability

PAH Polycyclic Aromatic Hydrocarbons

PCB Polychlorinated Biphenyls
PDO Pacific Decadal Oscillation
pH Acidity/Alkalinity value
PLOO Point Loma Ocean Outfall

PLWTP Point Loma Wastewater Treatment Plant

ppb parts per billion ppm parts per million ppt parts per trillion

PRIMER Plymouth Routines in Multivariate Ecological Research

psu practical salinity units

r Pearson correlation coefficient

r_s Spearman rank correlation coefficient

ROV Remotely Operated Vehicle

RWQCB Regional Water Quiality Control Board

SABWTP San Antonio de los Buenos Wastewater Treatment Plant

SBOO South Bay Ocean Outfall

SBWRP South Bay Water Reclamation Plant

SCB Southern Califonia Bight

SCBPP Southern California Bight Pilot Project

SD Standard Deviation

SIMPER Similarity Percentages Routine SIMPROF Similarity Profile Analysis

SIO Scripps Institute of Oceanography

sp species (singular) spp species (plural)

SSM Sub-surface Salinity Minimum

Acronyms and Abbreviations (continued)

SWRCB Califonia State Water Resources Control Board

tDDT total DDT TN Total Nitrogen

TOC Total Organic Carbon

tPAH total PAH tPCB total PCB

TSS Total Suspended Solids
TVS Total Volatile Solids

USEPA United States Environmental Protection Agency USFDA United States Food and Drug Administration

USGS United States Geological Survey

USIBWC United States International Boundary and Water Commission

wt weight yr year

ZID Zone of Initial Dilution

α alpha, the probability of creating a type I error

μg micrograms

 π summed absolute distances test statistic

This page intentionally left blank

Production Credits and Acknowledgements

Technical Editors:

T. Stebbins, A. Latker, P. Vroom

Production Editors:

E. Moore, N. Haring, R. Gartman, M. Nelson, A. Davenport

GIS Graphics:

M. Kasuya, D. Olson, J. Pettis Schallert

Cover Photo:

The brittle star *Ophiacantha diplasia* H. L. Clark, 1911 collected off southern San Diego at a depth of 105 m during the Bight'08 Regional Monitoring Program. Photo by Veronica Rodriguez-Villanueva.

Acknowledgments:

We are grateful to the personnel of the City's Marine Biology, Marine Microbiology, and Wastewater Chemistry Services Laboratories for their assistance in the collection and/or processing of all samples, and for discussions of the results. The completion of this report would not have been possible without their continued efforts and contributions. We would especially like to thank A. Davenport, W. Enright, M. Kasuya, M. Nelson, D. Olson, L. Othman, J. Pettis Schallert, R. Velarde, and L. Wiborg for their critical reviews of various chapters of this report. Complete staff listings for the above labs and additional details concerning relevant QA/QC activities for the receiving waters monitoring data reported herein are available online in the 2010 EMTS Division Laboratory Quality Assurance Report (www.sandiego. gov/mwwd/environment/reports.shtml).

How to cite this document:

City of San Diego. (2011). Annual Receiving Waters Monitoring Report for the South Bay Ocean Outfall (South Bay Water Reclamation Plant), 2010. City of San Diego Ocean Monitoring Program, Public Utilities Department, Environmental Monitoring and Technical Services Division, San Diego, CA.

This page intentionally left blank